


MILO DIGITAL VIDEO PANEL MEET



Reference: 9531

MILO panel is presented in two different versions: capacitive touch keypad and mechanical keypad. Its 4.3" TFT screen shows the user the steps to follow.

FEATURES

- Aluminum Profile
- High Resistance...

DESCRIPTION

MILO panel is presented in two different versions: capacitive touch keypad and mechanical keypad. Its 4.3" TFT screen shows the user the steps to follow.

FEATURES

- Aluminum Profile
- High Resistance Tempered Glass (Ref.9532) or PMMA (Ref.9531)
- Hands Free Audio Communication
- High Definition Colour Camera
- 4.3" Colour TFT Screen
- Face recognition (up to 6000 users)
- Remotely reset and factory settings
- Android Modular Structure
- Wiegand input/output for third party integration
- Wide Range Working Environment
- Access Control Integrated For 100.000 Cards
- Available In 10 Languages
- Remote Firmware Update
- Fire alarm with door unblocking and message to guard unit and MMS.
- Door forced and door left open alarms.

TECHNICAL SPECIFICATIONS

System:

- CPU: Quad-core Cortex™-A7 1.5GHz
- GPU: Mali400MP2

FERMAX

- FLASH: 4GB
- SDRAM: 1GB DDR3L

Screen:

- 4.3" Color TFT
- Resolution 480*272 pixel
- View angle: 110° H, 90° V
- Contrast: 400/1
- Brightness: 200cd/m2

Audio Features:

- G.711 codec
- Audio OLR> 15dB

Camera:

- 1/3" CMOS Color
- Horizontal 72°, Vertical 54°
- 1.2 Mega Pixels
- Minimum Illumination 0.5 LUX. Automatic white led activation
- AWB

Power Consumption:

- On standby: 250 mA
- Working: 500 mA

Working voltage:

- 12 VDC

Connectivity:

- Ethernet RJ-45 Connector
- RS485 connection port for lift control
- Secondary access control reader connection (Wiegand 26)
- Built in web server for configuration and remote management

Working Environment:

- Temperature: -40 oC.. + 70 oC
- Humidity: 20 – 80% (Non-condensing)
- IP 54

REFERENCES

Ref.9531 DIGITAL VIDEO MEET PANEL

Ref.9532 DIGITAL VIDEO TOUCH MEET PANEL

Ref.9542 MEET PANEL FLUSH BOX – L

Weight: 1,8497 kg

Size of product when packed: 10x47x21 cm

EAN 13: 8424299095318